

Index

- a priori test, 237
- Absolute value, 64
- Acland, H., 329
- Aggregate data, 119
- Ahern, F. M. 139, 329
- Ajzen, I., 290, 330
- Alpha, 192
- Alternative hypothesis, 188
- Altman, I., 89, 142, 330
- Analysis of variance
 - assumptions of, 233–234
 - Friedman, 317–318
 - interpretation, 234
 - Kruskal-Wallis, 316–317
 - one-way, 224–245, 246
 - repeated measures, 264–265
 - table, 229–231, 258–259
 - three-way, 262–264
 - two-way, 246–269
- Anderson, T. W., 305, 328
- Arcsin transformation, 82, 118, 334
- Association
 - curvilinear, 116
 - linear, 91
 - measures of, 127–143
 - testing, 270–291
 - measuring, 90–107
 - negative, 92
 - nonlinear, 91, 116–118
 - positive, 91, 92
- Average slope, 94–97
- Average squared difference, 62
- Ball, S., 246, 328
- Ballard, K. D., 54, 328
- Bane, M. J., 329
- Baxter, J., 124, 328
- Benson, L., 138, 328
- Best-fitting line, 97–98
- Beta, 197
- Binomial distribution, 154–155
- Bogatz, G. A., 246, 328
- Boyer, R., 172, 328
- Bradley, J. V., 310, 328
- Brown, B., 89, 142, 330
- Brown, C. E., 295, 296, 328
- Calculator, use in statistical work, 13
- Causality, correlation and, 122–123
- Cells, 246–247
- Central limit theorem, 161, 208
- Central tendency, 42–54, 57, 80, 85
 - computation of, 45–49
 - least-squares estimate of, 50
 - measures of, 43–44
- Chi square, critical values for, 359–360
- Chi square distribution, 179–180, 278, 297, 299, 301, 316, 317
- Chi square goodness of fit test, 295, 301–303
- Circle diagram, 231–232, 256–257, 263–264
- Class interval, 23, 36
 - midpoint of, 26
- Class width, 23, 26
- Coefficient of variation, 80
- Cohen, D., 329
- Cohen, J., 214, 215, 273, 274, 328
- Cohen's *d*, 212, 235
- Cole, R. E., 139, 329

- Computational errors, 13, 67–68
 Constant, test of the, 187, 233
 Contrasts, 235–237
 Control group, 203, 216
 Correction for continuity, 299–300
 Correlated correlations, 276, 279–282
 Correlation, causality and, 122–123
 Correlation coefficient, 108–126, 153, 210, 270
 computation, 110–111
 converting to b , 110
 interpretation of, 111–116
 phi, 133
 rationale for the, 109–110
 size of, factors affecting, 116–122
 tests of, 271–282, 287–288
 Counts, 131
 Criterion, 93–94
 Critical values, 193, 206
 Crooks, T. J., 54, 328
 Cumulative frequency, 23
 Cumulative relative frequency, 24, 50
 Curtona, C. E., 15, 328

 Data, 4
 aggregate, 119
 grouped, 50–51
 Data transformations, 168–170
 Datum, 4, 5
 Degrees of freedom, 178, 179, 180, 191, 206, 230, 257–258, 262–263, 272, 297, 299, 301, 316, 317
 DePaulo, B. M., 26, 28, 33, 34, 40, 328
 Dependent variable, 185–186
 Dermer, M., 300, 329
 Descriptive statistics, 5, 19–143, 147
 Design, two-group, *see* Two-group design
 Deviations, squared, 64
 Devinney, L. C., 305, 330
 Dichotomy, 127, 130, 204
 Diehl, R. L., 222, 326, 328
 Distribution(s), 21
 asymmetric, 32
 bimodal, 29, 293
 binomial, 154–155
 chi square, 179–180
 F , 180, 227–228, 347–353
 features of, 28–33
 flat (rectangular), 30, 31, 128
 leptokurtic, 29
 normal, 33, 83, 115, 159–173
 peaks, 29, 30
 platykurtic, 29
 sampling, 151–152, 174–183, 191
 skewed, 32–33, 48, 78, 81–82, 128, 161, 194
 symmetric, 30, 32
 t , 177–178, 191, 206
 unit of, 25
 Z , 162, 174, 341–343
 Distribution-free tests, 292
 Distribution-tied tests, 292
 Dolliver, J., 330
 Dummy variable, 129–130, 133, 237
 Duncan, S. D., Jr., 74, 108, 329

 Ecological fallacy, 119
 Effect size, 212–213, 234–235, 273
 Equal variances, 80, 208, 233, 259
 Error
 computational, 67–68
 measurement, 119
 model comparison, 196–197
 sampling, 148–149, 151, 204
 standard, 151–152
 type I, 196–197
 type II, 196–197
 Expected frequency, 296, 297, 301
 Extrapolation, 102

 F distribution, 180, 227–228, 258, 287–288
 critical values for the, 347–353
 Factor, 225, 248, 249
 Factorial design, 246–247
 Ferguson, G., 141, 330
 Fienberg, S. E., 137, 329
 Filon, L. N. G., 281, 330
 Fisher's r to z transformation, 275, 356
 Fiske, D. W., 74, 108, 329
 Foss, C., 89, 142, 330
 Freedom, degrees of, 178

- Frequencies, 131
 smoothing, 36–38
 Frequency, 23
 cumulative, 23
 cumulative relative, 24
 relative, 23, 27
 Frequency table, 23–24, 27, 28, 29, 35
 Fridkin, K., 289, 330
 Friedman two-way ANOVA, 308–309,
 317–318

 Galton, 139
 Gintis, H., 329
 Goodness of fit test, 198, 295, 301–
 303
 Grand mean, 228
 Graphing, 26, 252
 Greek letters, 391
 Grouped data, 50–51
 Grouping, 25–26
 Groups
 independent, 199
 nonindependent, 199
 paired, 199

 Hammersla, K. S., 29, 329
 Hastie, R., 187, 330
 Heynes, B., 329
 Histogram, 24, 26–30, 35, 36
 Holahan, C. J., 290, 329
 Hotelling test, 279–280
 Hughes, J. L., 70, 329
 Hypothesis
 alternative, 188
 null, 187–188, 194, 294

 Ilchisin, D., 92
 Independence, 208–209, 233, 259,
 272, 274, 298
 Independence of two nominal variables,
 test of, 294, 295–299
 Independent groups, 199
 Independent sampling, 149–150, 154
 Independent variable, 185–186
 Inferential statistics, 5, 145–327
 Interaction, 251–254, 284
 crossover, 259
 Intercept 98 107

 Interpretability, 73
 Interquartile range, 59, 60–61, 67, 68,
 85
 Interval level of measurement, 6, 7

 Jacobson, J., 281, 282, 329
 Jacobson, L., 58, 330
 Jencks, C., 57, 329
 Johnson, R. C., 139, 329

 Kelley, H., 224
 Kenny, D. A., 58, 329
 Kluender, K. R., 222, 326, 328
 Knight, J., 300, 329
 Korytnyk, N. X., 131, 329
 Kruskal-Wallis test, 198, 316–317

 La Voie, L., 58, 329
 Leaf, 33
 Least squares, 50, 97, 98
 Leonard, L. B., 54, 330
 Linearity, 80, 91, 116–118
 Logarithms, 10–11, 78–79
 natural, 11, 79, 83
 Logit difference, 134–136
 Logit transformation, 83, 333–334
 Lowest lower limit, 25

 Main effect, 250
 Manning, M. M., 274, 329
 Mann-Whitney *U* test, 198, 308–314
 two-tailed critical values for, 361–
 365
 Margins, 132, 295–296, 298
 Mathematical symbols, 390
 McClean, G. E., 139, 329
 McNamara, W. J., 70, 329
 McNemar test, 199, 294, 299–301
 Mean, 43, 44–49, 64, 68, 80, 85, 153,
 161, 224
 correction term for, 232, 255
 properties of the, 49–50
 regression toward the, 103
 Mean square, 230–231
 Measurement, 4
 error of, 119
 level of, 6–8, 49
 interval 6 7

- Measurement, level of (*continued*)
 nominal, 6, 7
 ordinal, 6, 7
 ratio, 8
 unit of, 7, 76, 108
- Median, 43–49, 68, 80
 lower, 60
 upper, 60
- Michelson, S., 329
- Midpoint of a class interval, 26
- Milgram, S., 25, 46, 50, 147, 329
- Mita, T. H., 300, 329
- Mode, 43–49, 68, 80
- Model(s)
 analysis of variance, 225–228, 258
 comparison of, 186–197
 errors in, 196–197
 complete, 186–189, 194
 log linear, 303
 for nominal dependent variables,
 292–307
 for ordinal dependent variables, 308–
 327
 restricted, 187–192
 statistical
 defined, 184
 testing, 184–202
 two-group design, 203–207
- Moos, R. H., 290, 329
- Myers, J. L., 237, 265, 329
- Nagoshi, C. T., 139, 329
- Neff, J. A., 290, 329
- Nezlek, J., 277, 331
- Nominal dependent variables, models
 for, 202–307
- Nominal level of measurement, 6, 7
- Nominal variables, 6, 7, 127–137
 with more than two levels, 136–137
- Nonindependent groups, 199
- Nonlinearity, 80, 116–118, 139
- Nonparametric test, 292
- Normal distribution, 159–173
 properties of, 159–162
 standard, 162–168, 174–176
- Normality assumption, 115, 153–154,
 194, 207–208, 233, 259, 272,
 292
- Normalized ranks transformation, 169–
 170
- Null hypothesis, 187–188, 194, 294
- Number of classes, 25
- Numbers, 3–4, 5
 rounding, 8–9
 squaring, 10
 uses for, 6
- Object, 4, 5, 90
- Observed frequency, 296–297, 301
- Odds, 10, 83, 134
- Odds ratio, 134
- Omega squared, 234
- One-tailed test, 207, 272
- Operational definition, 4, 5
- Ordinal dependent variables, models
 for, 308–327
- Ordinal level of measurement, 6, 7
- Ordinal variables, 6, 7, 127–128, 130–
 131, 137–139
- Oslick, A., 138, 328
- Outliers, 26–28, 294
 correlation and, 120–122
 detection of, 67
 mean and, 49
 variance and, 67
- p* value, 193, 194, 195, 206
- Paired groups, 199, 209, 264, 299,
 314, 317
- Paired *t* test, 209–210
- Parameters, 148, 155
- Parker, E. M., 222, 326, 328
- Part-whole correlation, 119–120
- Path diagram, 185
- Peaks in distributions, 29
- Pearson, K., 281, 330
- Pearson-Filon test, 280–282
- Percentage difference, 132–133, 134,
 135
- Percentages, 9–10, 132, 137
- Percentile ranks, 73, 84–85, 169–170,
 309
- Perkins, D. V., 131, 329
- Phi coefficient, 130, 133, 134, 135,
 298
- Pooled error variance, 285, 286

- Pooled regression coefficient, 285
- Pooled variance, 205, 211, 226
- Population, 5, 148
- Population parameters, 155
- Post hoc tests, 237–238
- Power, 197, 213–214, 234, 259, 273, 276, 281, 284, 300
- Power efficiency, 321–322
- Prediction, 102
- Predictor, 93–94
- Principles, statistical, 147–158
- Probabilities, determining, 163–167
- Probit transformation, 82–83, 168, 333–334
- Proportions, 9–10, 168
 - two-stretch transformations of, 82–83, 333–334
- Protected test, 237
- Pulling, N. H., 288, 330

- r , transformation to Fisher's z , 275, 356
- Random assignment, 215–216, 234
- Random number table, 335–339
- Random sampling, 149–151, 194, 196, 216
- Random sampling distribution, 151
- Range, 59–68, 85
 - interquartile, 59, 60–61, 68, 85
 - restriction in, 120
- Rank order, 24–25, 83–84, 138, 310
- Rank-order coefficient, Spearman's, 137–139, 318–321
- Rasinski, K., 289, 330
- Ratio, level of measurement, 8
- Reciprocal transformation, 79
- Regression coefficient, 93–103, 108, 109, 270, 271
 - computation, 98–101
 - converting to r , 110
 - interpretation of, 101–103
 - test of, 283–288
- Regression equation, 98
- Regression toward the mean, 103
- Reis, H., 277, 331
- Relationship, 108–126
- Relative frequency, 23, 27
- Reliability, 119

- Repeated measures design, 199, 264–265, 317
- Residual variable, 185–186
- Restriction in range, 120
- Reynolds, H. T., 137, 330
- Robinson, L. B., 187, 330
- Robust statistic, 154
- Rosenthal, R., 26, 28, 33, 34, 37, 40, 58, 115, 328, 330
- Rounding, 8–9
- Rubin, D. B., 115, 330

- Sample, 5, 147–149
 - central tendency of, 42–52
 - typical value of, 43
- Sampling
 - independent, 149–150
 - random, 149–151
- Sampling distribution, 151–152, 174–183, 191
- Sampling error, 149, 151, 190, 204, 296
- Savageau, D., 172, 328
- Scale limits, changes of, 76–77
- Scatterplot, 93–94, 95, 101, 112–113
- Schifter, D. E., 290, 330
- Schwartz, R. G., 54, 330
- Score, 4, 5
 - distribution of, 21–41
 - standard, 77–78
- Segal, M. W., 8, 330
- Shults, 253, 331
- Siegel, S., 310, 330
- Sign test, 314–316
 - two-tailed critical values for, 367–368
- Significance level, 192–193, 194
- Skew, 32–33, 48, 78, 81–82, 128, 161, 194
- Slope, 93–94
 - average, 94–97
- Smith, M., 21, 21n, 23, 50, 330
- Smith, M., 329
- Smoothing, 36–38, 45
- Spearman's rank-order coefficient, 318–321
- Spearman's rho, 137–139, 318–321

- Spearman's rho (*continued*)
 two-tailed critical values for, 369–370
- Square root(s), 10
- Square root transformation, 78
- Squares, 10
- Standard deviation, 59, 61–66, 68, 85, 153, 161
 computation of the, 65
- Standard error, 151–152, 175, 190, 204
- Standard normal distribution, 162–168, 174–176, 212
 used to determine percentile ranks, 167–168
 used to determine probabilities, 163–167
- Standard scores, 77–78, 109, 162, 168
- Star, S. A., 305, 330
- Statistical symbols, 390–391
- Statistics
 defined, 5, 148
 descriptive, 5, 19–143, 147
 inferential, 5, 145–327
 properties of, 152–154
 robust, 154
- Steiger, J. H., 281, 330
- Stem and leaf display, 33–35
- Stoudt, H. W., 164, 172, 330
- Stouffer, S. A., 305, 330
- Sturgies, S. P., 330
- Suchman, E. A., 305, 330
- Sum of cross-products, 99
- Sum of squares, 99
 computational formulas for, 232–233, 255–256
- Summation sign, 11–12, 248
- Symbols
 mathematical, 390
 statistical, 390–391
- Symmetry, 30–33, 74, 80
- t*, two-tailed critical values of, 345–346
- t* distribution, 177–178, 191, 239, 264, 272, 279, 283, 285, 320
- Tails, 29, 31, 191
- Taylor, R. B., 141, 330
- Test of independence of two nominal variables, 294, 295–299
- Test statistic, 190–192, 194, 206
- Transformations, 73–89
 arcsin, 82, 334
 flat, 83–85
 logarithmic, 78–79
 logit, 83
 normalized ranks, 169–170
 no-stretch, 75–78, 159
 one-stretch, 78–82, 118
 percentile ranks, 84, 169–170
 probit, 82–83, 168, 333–334
 reciprocal, 79
 square root, 78
 two-stretch, 82–83, 118
 two-variable, 85
- True score, 119
- Tukey, J. W., 33, 237
- Tukey least significant difference test, 237
- Two-group design, 203–223
 assumptions, 207–209
 computational formulas, 211
 design issues, 214–216
 effect size, 212–213
 illustrations of, 216–219
 model for, 203–207
 power, 213–214
- Two-standard-deviation advantage, 115–116
- Tyler, T. R., 289, 330
- Type I error, 196–197, 208
- Type II error, 196–197, 213
- Typical values, 43
- Unit of measurement, 7, 76, 108
- Unreliability, 119
- Vaillancourt, D. R., 330
- Value, absolute, 64
- Values, typical, 43
- Variability, 56–72
 measures of, 59–66
- Variable(s), 4–8
 dependent, 185–186
 dichotomous, 131
 dummy, 129–130
 independent, 185–186
 nominal, 6, 7, 127–137

- nominal dependent, models for, 292–307
- ordinal, 127–128, 130–131, 137–139
- ordinal dependent, models for, 308–327
- residual, 185–186, 207
- Variance, *see* Standard deviation
- Variance explained, 113
- Vinsel, A., 89, 142, 330

- West, S. G., 253, 331
- Wheeler, L., 277, 331
- Williams, E. J., 279

- Williams, R. M., Jr., 305, 330
- Winer, B. J., 237, 265, 331
- Wolf, E., 330
- Wright, T. L., 274, 329

- Yuen, S., 139, 329

- z, Fisher's, 275
- Z distribution, 162, 174, 276, 277–278, 313, 315
 - probabilities for the, 341–343
- Zajonc, R., 300